

Chapter 2: Application layer

- ❑ 2.1 Web and HTTP
- ❑ 2.2 FTP
- ❑ 2.3 Electronic Mail
 - ❖ SMTP, POP3, IMAP
- ❑ 2.4 DNS

Web and HTTP

First some jargon

- ❑ **Web page** consists of **objects**
- ❑ Object can be HTML file, JPEG image, Java applet, audio file,...
- ❑ Web page consists of **base HTML-file** which includes several referenced objects
- ❑ Each object is addressable by a **URL**
- ❑ Example URL:

`www.someschool.edu/someDept/pic.gif`


host name

path name

HTTP overview

HTTP: hypertext transfer protocol

- Web's application layer protocol
- client/server model
 - ❖ *client*: browser that requests, receives, "displays" Web objects
 - ❖ *server*: Web server sends objects in response to requests
- HTTP 1.0: RFC 1945
- HTTP 1.1: RFC 2068



HTTP overview (continued)

Uses TCP:

- ❑ client initiates TCP connection (creates socket) to server, port 80
- ❑ server accepts TCP connection from client
- ❑ HTTP messages (application-layer protocol messages) exchanged between browser (HTTP client) and Web server (HTTP server)
- ❑ TCP connection closed

HTTP is "stateless"

- ❑ server maintains no information about past client requests

Protocols that maintain "state" are complex! aside

- ❑ past history (state) must be maintained
- ❑ if server/client crashes, their views of "state" may be inconsistent, must be reconciled

HTTP connections

Nonpersistent HTTP

- ❑ At most one object is sent over a TCP connection.
- ❑ HTTP/1.0 uses nonpersistent HTTP

Persistent HTTP


- ❑ Multiple objects can be sent over single TCP connection between client and server.
- ❑ HTTP/1.1 uses persistent connections in default mode

Nonpersistent HTTP


Suppose user enters URL

`www.someSchool.edu/someDepartment/home.index`

(contains text,
references to 10
jpeg images)



Nonpersistent HTTP (cont.)




Non-Persistent HTTP: Response time

Definition of RTT: time to send a small packet to travel from client to server and back.

Response time:

- ❑ one RTT to initiate TCP connection
- ❑ one RTT for HTTP request and first few bytes of HTTP response to return
- ❑ file transmission time

total = $2RTT + \text{transmit time}$



Persistent HTTP

Nonpersistent HTTP issues:

- ❑ requires 2 RTTs per object
- ❑ OS overhead for each TCP connection
- ❑ browsers often open parallel TCP connections to fetch referenced objects

Persistent HTTP

- ❑ server leaves connection open after sending response
- ❑ subsequent HTTP messages between same client/server sent over open connection

Persistent *without* pipelining:


- ❑ client issues new request only when previous response has been received
- ❑ one RTT for each referenced object

Persistent *with* pipelining:


- ❑ default in HTTP/1.1
- ❑ client sends requests as soon as it encounters a referenced object
- ❑ as little as one RTT for all the referenced objects

HTTP request message

- two types of HTTP messages: *request, response*
- *HTTP request message*:
 - ❖ ASCII (human-readable format)



HTTP request message: general format



Uploading form input

Post method:

- ❑ Web page often includes form input
- ❑ Input is uploaded to server in entity body

URL method:

- ❑ Uses GET method
- ❑ Input is uploaded in URL field of request line:

`www.somesite.com/animalsearch?monkeys&banana`

Method types


HTTP/1.0

- ❑ GET
- ❑ POST
- ❑ HEAD
 - ❖ asks server to leave requested object out of response

HTTP/1.1

- ❑ GET, POST, HEAD
- ❑ PUT
 - ❖ uploads file in entity body to path specified in URL field
- ❑ DELETE
 - ❖ deletes file specified in the URL field

HTTP response message



HTTP response status codes

In first line in server->client response message.

A few sample codes:

200 OK

- ❖ request succeeded, requested object later in this message

301 Moved Permanently

- ❖ requested object moved, new location specified later in this message (Location:)

400 Bad Request

- ❖ request message not understood by server

404 Not Found

- ❖ requested document not found on this server

505 HTTP Version Not Supported

Trying out HTTP (client side) for yourself

1. Telnet to your favorite Web server:

```
telnet cis.poly.edu 80
```

Opens TCP connection to port 80 (default HTTP server port) at cis.poly.edu. Anything typed in sent to port 80 at cis.poly.edu

2. Type in a GET HTTP request:

```
GET /~ross/ HTTP/1.1  
Host: cis.poly.edu
```

By typing this in (hit carriage return twice), you send this minimal (but complete) GET request to HTTP server

3. Look at response message sent by HTTP server!

Let's look at HTTP in action

□ telnet example

```
magoutis@milo:~$ telnet www.csd.uoc.gr 80
Trying 147.52.16.5...
Connected to ixion.csd.uoc.gr.
Escape character is '^]'.
GET /~hy335/ HTTP/1.0

HTTP/1.1 200 OK
Date: Sat, 07 Feb 2009 06:47:22 GMT
Server: Apache/2.2.4 (Unix) mod_ssl/2.2.4 OpenSSL/0.9.8g DAV/2 mod_fastcgi/2.4.2 mod_python,
python/2.4.4 mod_jk2/2.0.4 PHP/5.2.5 mod_perl/2.0.3 Perl/v5.8.8
Last-Modified: Fri, 06 Feb 2009 15:51:40 GMT
ETag: "cc683-1de3-ff273b00"
Accept-Ranges: bytes
Content-Length: 7651
Connection: close
Content-Type: text/html

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>

<head>

<title>HY335 Spring 09</title>

<meta http-equiv="Content-Style-Type" content="text/css">
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">

<style type="text/css">
body {
font-family: arial, helvetica, sans-serif;
```

User-server state: cookies

Many major Web sites use cookies


Four components:

- 1) cookie header line of HTTP *response* message
- 2) cookie header line in HTTP *request* message
- 3) cookie file kept on user's host, managed by user's browser
- 4) back-end database at Web site

Example:

- ❖ Susan access Internet always from same PC
- ❖ She visits a specific e-commerce site for first time
- ❖ When initial HTTP requests arrives at site, site creates a unique ID and creates an entry in backend database for ID

Cookies: keeping "state" (cont.)



Cookies (continued)

What cookies can bring:

- ❑ authorization
- ❑ shopping carts
- ❑ recommendations
- ❑ user session state
(Web e-mail)


Cookies and privacy: aside

- ❑ cookies permit sites to learn a lot about you
- ❑ you may supply name and e-mail to sites
- ❑ search engines use redirection & cookies to learn yet more
- ❑ advertising companies obtain info across sites

Web caches (proxy server)

Goal: satisfy client request without involving origin server

- user sets browser: Web accesses via cache
- browser sends all HTTP requests to cache
 - ❖ object in cache: cache returns object
 - ❖ else cache requests object from origin server, then returns object to client



More about Web caching

- ❑ Cache acts as both client and server
- ❑ Typically cache is installed by ISP (university, company, residential ISP)

Why Web caching?

- ❑ Reduce response time for client request.
- ❑ Reduce traffic on an institution's access link.
- ❑ Internet dense with caches enables "poor" content providers to effectively deliver content (but so does P2P file sharing)


Caching example

Assumptions

- ❑ average object size = 100,000 bits
- ❑ avg. request rate from institution's browsers to origin servers = 15/sec
- ❑ delay from institutional router to any origin server and back to router = 2 sec

Consequences

- ❑ utilization on LAN = 15%
- ❑ utilization on access link = 100%
- ❑ total delay = Internet delay + access delay + LAN delay
= 2 sec + milliseconds + milliseconds




Caching example (cont)

Possible solution

- ❑ increase bandwidth of access link to, say, 10 Mbps

Consequences

- ❑ utilization on LAN = 15%
- ❑ utilization on access link = 15%
- ❑ Total delay = Internet delay + access delay + LAN delay
= 2 sec + msec + msec
- ❑ often a costly upgrade




Caching example (cont)

Install cache

- suppose hit rate is .4


Consequence

- 40% requests will be satisfied almost immediately
- 60% requests satisfied by origin server
- utilization of access link reduced to 60%, resulting in negligible delays (say 10 msec)
- total avg delay = Internet delay + access delay + LAN delay = $.6 \cdot (2.01) \text{ secs} + .4 \cdot \text{milliseconds} < 1.4 \text{ secs}$



Conditional GET


- **Goal:** don't send object if cache has up-to-date cached version
- cache: specify date of cached copy in HTTP request
If-modified-since:
<date>
- server: response contains no object if cached copy is up-to-date:
HTTP/1.0 304 Not Modified



Chapter 2: Application layer

- 2.1 Web and HTTP
- 2.2 FTP
- 2.3 Electronic Mail
 - ❖ SMTP, POP3, IMAP
- 2.4 DNS


FTP: the file transfer protocol



- ❑ transfer file to/from remote host
- ❑ client/server model
 - ❖ *client*: side that initiates transfer (either to/from remote)
 - ❖ *server*: remote host
- ❑ ftp: RFC 959
- ❑ ftp server: port 21

FTP: separate control, data connections

- ❑ FTP client contacts FTP server at port 21, specifying TCP as transport protocol
- ❑ Client obtains authorization over control connection
- ❑ Client browses remote directory by sending commands over control connection.
- ❑ When server receives a command for a file transfer, the server opens a TCP data connection to client
- ❑ After transferring one file, server closes connection.



- ❑ Server opens a second TCP data connection to transfer another file.
- ❑ Control connection: "out of band"
- ❑ FTP server maintains "state": current directory, earlier authentication

FTP commands, responses

Sample commands:

- ❑ sent as ASCII text over control channel
- ❑ USER *username*
- ❑ PASS *password*
- ❑ LIST return list of file in current directory
- ❑ RETR *filename* retrieves (gets) file
- ❑ STOR *filename* stores (puts) file onto remote host

Sample return codes

- ❑ status code and phrase (as in HTTP)
- ❑ 331 Username OK, password required
- ❑ 125 data connection already open; transfer starting
- ❑ 425 Can't open data connection
- ❑ 452 Error writing file

Chapter 2: Application layer

- ❑ 2.1 Principles of network applications
- ❑ 2.2 Web and HTTP
- ❑ 2.3 FTP
- ❑ 2.4 Electronic Mail
 - ❖ SMTP, POP3, IMAP
- ❑ 2.5 DNS
- ❑ 2.6 Socket programming with TCP
- ❑ 2.7 Socket programming with UDP
- ❑ 2.8 Building a Web server


Electronic Mail

Three major components:

- ❑ user agents
- ❑ mail servers
- ❑ simple mail transfer protocol: SMTP

User Agent


- ❑ a.k.a. "mail reader"
- ❑ composing, editing, reading mail messages
- ❑ e.g., Eudora, Outlook, elm, Netscape Messenger
- ❑ outgoing, incoming messages stored on server



Electronic Mail: mail servers

Mail Servers

- ❑ **mailbox** contains incoming messages for user
- ❑ **message queue** of outgoing (to be sent) mail messages
- ❑ **SMTP protocol** between mail servers to send email messages
 - ❖ client: sending mail server
 - ❖ "server": receiving mail server




Electronic Mail: SMTP [RFC 2821]

- ❑ uses TCP to reliably transfer email message from client to server, port 25
- ❑ direct transfer: sending server to receiving server
- ❑ three phases of transfer
 - ❖ handshaking (greeting)
 - ❖ transfer of messages
 - ❖ closure
- ❑ command/response interaction
 - ❖ **commands**: ASCII text
 - ❖ **response**: status code and phrase
- ❑ messages must be in 7-bit ASCII

Scenario: Alice sends message to Bob

- 1) Alice uses UA to compose message and "to" `bob@someschool.edu`
- 2) Alice's UA sends message to her mail server; message placed in message queue
- 3) Client side of SMTP opens TCP connection with Bob's mail server
- 4) SMTP client sends Alice's message over the TCP connection
- 5) Bob's mail server places the message in Bob's mailbox
- 6) Bob invokes his user agent to read message



Sample SMTP interaction

```
S: 220 hamburger.edu
C: HELO crepes.fr
S: 250 Hello crepes.fr, pleased to meet you
C: MAIL FROM: <alice@crepes.fr>
S: 250 alice@crepes.fr... Sender ok
C: RCPT TO: <bob@hamburger.edu>
S: 250 bob@hamburger.edu ... Recipient ok
C: DATA
S: 354 Enter mail, end with "." on a line by itself
C: Do you like ketchup?
C: How about pickles?
C: .
S: 250 Message accepted for delivery
C: QUIT
S: 221 hamburger.edu closing connection
```

Try SMTP interaction for yourself:

- ❑ `telnet servername 25`
- ❑ see 220 reply from server
- ❑ enter HELO, MAIL FROM, RCPT TO, DATA, QUIT commands

above lets you send email without using email client (reader)

SMTP: final words

- ❑ SMTP uses persistent connections
- ❑ SMTP requires message (header & body) to be in 7-bit ASCII
- ❑ SMTP server uses CRLF.CRLF to determine end of message


Comparison with HTTP:

- ❑ HTTP: pull
- ❑ SMTP: push
- ❑ both have ASCII command/response interaction, status codes
- ❑ HTTP: each object encapsulated in its own response msg
- ❑ SMTP: multiple objects sent in multipart msg

Mail message format

SMTP: protocol for exchanging email msgs
RFC 822: standard for text message format:

- header lines, e.g.,
 - ❖ To:
 - ❖ From:
 - ❖ Subject:*different from SMTP commands!*
- body
 - ❖ the "message", ASCII characters only



Message format: multimedia extensions

- ❑ MIME: multimedia mail extension, RFC 2045, 2056
- ❑ additional lines in msg header declare MIME content type

MIME version


method used
to encode data

multimedia data
type, subtype,
parameter declaration

encoded data

```
From: alice@crepes.fr
To: bob@hamburger.edu
Subject: Picture of yummy crepe.
MIME-Version: 1.0
Content-Transfer-Encoding: base64
Content-Type: image/jpeg
base64 encoded data .....
.....
.....base64 encoded data
```


Mail access protocols



- ❑ SMTP: delivery/storage to receiver's server
- ❑ Mail access protocol: retrieval from server
 - ❖ POP: Post Office Protocol [RFC 1939]
 - authorization (agent <-->server) and download
 - ❖ IMAP: Internet Mail Access Protocol [RFC 1730]
 - more features (more complex)
 - manipulation of stored msgs on server
 - ❖ HTTP: Hotmail , Yahoo! Mail, etc.

POP3 protocol

authorization phase

- client commands:
 - ❖ user: declare username
 - ❖ pass: password
- server responses
 - ❖ +OK
 - ❖ -ERR

transaction phase, client:

- list: list message numbers
- retr: retrieve message by number
- dele: delete
- quit

```
S: +OK POP3 server ready
C: user bob
S: +OK
C: pass hungry
S: +OK user successfully logged on
```

```
C: list
S: 1 498
S: 2 912
S: .
C: retr 1
S: <message 1 contents>
S: .
C: dele 1
C: retr 2
S: <message 1 contents>
S: .
C: dele 2
C: quit
S: +OK POP3 server signing off
```

POP3 (more) and IMAP

More about POP3

- ❑ Previous example uses “download and delete” mode.
- ❑ Bob cannot re-read e-mail if he changes client
- ❑ “Download-and-keep”: copies of messages on different clients
- ❑ POP3 is stateless across sessions

IMAP

- ❑ Keep all messages in one place: the server
- ❑ Allows user to organize messages in folders
- ❑ IMAP keeps user state across sessions:
 - ❖ names of folders and mappings between message IDs and folder name

Chapter 2: Application layer

- 2.1 Web and HTTP
- 2.2 FTP
- 2.3 Electronic Mail
 - ❖ SMTP, POP3, IMAP
- 2.4 DNS

DNS: Domain Name System

People: many identifiers:

- ❖ SSN, name, passport #

Internet hosts, routers:

- ❖ IP address (32 bit) - used for addressing datagrams
- ❖ "name", e.g.,
ww.yahoo.com - used by humans

Q: map between IP addresses and name ?

Domain Name System:

- *distributed database*
implemented in hierarchy of many *name servers*
- *application-layer protocol*
host, routers, name servers to communicate to *resolve* names (address/name translation)
 - ❖ note: core Internet function, implemented as application-layer protocol
 - ❖ complexity at network's "edge"

DNS

DNS services


- ❑ Hostname to IP address translation
- ❑ Host aliasing
 - ❖ Canonical and alias names
- ❑ Mail server aliasing
- ❑ Load distribution
 - ❖ Replicated Web servers: set of IP addresses for one canonical name

Why not centralize DNS?

- ❑ single point of failure
- ❑ traffic volume
- ❑ distant centralized database
- ❑ maintenance

doesn't scale!

Distributed, Hierarchical Database




Client wants IP for www.amazon.com; 1st approx:

- ❑ Client queries a root server to find com DNS server
- ❑ Client queries com DNS server to get amazon.com DNS server
- ❑ Client queries amazon.com DNS server to get IP address for www.amazon.com

DNS: Root name servers

- ❑ contacted by local name server that can not resolve name
- ❑ root name server:
 - ❖ contacts authoritative name server if name mapping not known
 - ❖ gets mapping
 - ❖ returns mapping to local name server



13 root name servers worldwide

TLD and Authoritative Servers


- ❑ **Top-level domain (TLD) servers:** responsible for com, org, net, edu, etc, and all top-level country domains uk, fr, ca, jp.
 - ❖ Network solutions maintains servers for com TLD
 - ❖ Educause for edu TLD
- ❑ **Authoritative DNS servers:** organization's DNS servers, providing authoritative hostname to IP mappings for organization's servers (e.g., Web and mail).
 - ❖ Can be maintained by organization or service provider

Local Name Server

- ❑ Does not strictly belong to hierarchy
- ❑ Each ISP (residential ISP, company, university) has one.
 - ❖ Also called "default name server"
- ❑ When a host makes a DNS query, query is sent to its local DNS server
 - ❖ Acts as a proxy, forwards query into hierarchy.

Example

- Host at cis.poly.edu wants IP address for gaia.cs.umass.edu




Recursive queries

recursive query:

- ❑ puts burden of name resolution on contacted name server
- ❑ heavy load?

iterated query:

- ❑ contacted server replies with name of server to contact
- ❑ "I don't know this name, but ask this server"



DNS: caching and updating records

- once (any) name server learns mapping, it *caches* mapping
 - ❖ cache entries timeout (disappear) after some time
 - ❖ TLD servers typically cached in local name servers
 - Thus root name servers not often visited
- update/notify mechanisms under design by IETF
 - ❖ RFC 2136
 - ❖ <http://www.ietf.org/html.charters/dnsind-charter.html>

DNS records

DNS: distributed db storing resource records (RR)

RR format: (name, value, type, ttl)

□ Type=A

- ❖ name is hostname
- ❖ value is IP address

□ Type=NS

- ❖ name is domain (e.g. foo.com)
- ❖ value is hostname of authoritative name server for this domain

□ Type=CNAME

- ❖ name is alias name for some "canonical" (the real) name
www.ibm.com is really
servereast.backup2.ibm.com
- ❖ value is canonical name

□ Type=MX

- ❖ value is name of mailserver associated with name

DNS protocol, messages

DNS protocol : *query* and *reply* messages, both with same *message format*


msg header

- **identification**: 16 bit #
for query, reply to query
uses same #
- **flags**:
 - ❖ query or reply
 - ❖ recursion desired
 - ❖ recursion available
 - ❖ reply is authoritative

identification	flags
number of questions	number of answer RRs
number of authority RRs	number of additional RRs
questions (variable number of questions)	
answers (variable number of resource records)	
authority (variable number of resource records)	
additional information (variable number of resource records)	



DNS protocol, messages



Inserting records into DNS

- ❑ Example: just created startup "Network Utopia"
- ❑ Register name networkutopia.com at a registrar (e.g., Network Solutions)
 - ❖ Need to provide registrar with names and IP addresses of your authoritative name server (primary and secondary)
 - ❖ Registrar inserts two RRs into the com TLD server:

```
(networkutopia.com, dns1.networkutopia.com, NS)
(dns1.networkutopia.com, 212.212.212.1, A)
```

- ❑ Put in authoritative server Type A record for www.networkutopia.com and Type MX record for networkutopia.com
- ❑ How do people get the IP address of your Web site?